

REGULATORLUKE
GOVERNOR COVER

E-31

REGULATORLUKE MED REGULATOR
KOMPLETT.....
GOVERNOR COVER WITH GOVERNOR
COMPLETE

Pos.: Samtlige, unntatt/All pos.
except: 2-3-4-5-6

1.	Regulatorluke	2H34B	1
	Governor cover		
2.	Regulatorlukepakning (834f)	813.055	1
	Governor cover gasket		
3.	Hodeskrue M8 x 25 (2HEG) (tidl./prev. 5/16 UNC x 1" (421k)..... (432.028) Bolt (2HEG, only)	432.066	1
3a.	Hodeskrue M8 x 40, for 2H-2HG Bolt (2H-2HG, only)	432.032	1
4.	Hodeskrue M8 x 65 (tidl./prev. 5/16 UNC x 65 (447c)..... (432.064) Bolt	432.011	4
5.	Hodeskrue M8 x35 (tidl./prev. 5/16 UNC x 1 1/2" (435b) (432.061) Bolt	432.017	2
6.	Riflepinn, 6 ^ø x 32 (tidl./prev. 1/4" x 1 1/4" (421a) (454.012) Grooved pin	454.008	2
7.	Settskrue M10 x 10 (tidl./prev. 3/8" x 3/8" (453b) (434.006) Set screw	434.017	3
8.	Propp 3/8" R.gj. Unbr.Super (922fb) Plug	516.045	2
9.	Distansehylse, 15 x 13 x 2 Sleeve (2H-2HG only)	G67cc	1
SENTRIFUGALREGULATOR KOMPLETT CENTRIFUGAL GOVERNOR COMPLETE Pos.: 10-11-12-13-14-15-16-17 20-21-22-23-24			
10.	Regulatortannhjul	2H43K	1
	Governor gear wheel		
11.	Regulatorspindel	G43n	1
	Governor spindle		
12.	Kulelager, SKF 6001x (943k) Ball bearing	911.035	2
13.	Regulatorlodd	G43Lb	2
	Governor weight		

REGULATORLUKE
GOVERNOR COVER

REGULATORHYLSE MED SPISS GOVERNOR SLEEVE WITH BALL POINT Pos.: 14-15-15a			
14.	Regulatorhylse Governor sleeve	G43p	1
15.	Regulatorhylsespiss Governor sleeve pointer	G43q	1
15a.	Kule (953b) Ball	915.002	1
16.	Regulatorfjær kompl. 1,2 mm (S1-743p) Governor spring assembly	S1-712.018	1
17.	Regulatorfjær kompl. 1,5 mm (S1-743q) Governor spring assembly	S1-712.019	1
20.	Fjærpinn (36 mm) Spring pin	G43s	2
21.	Hengselpinn (36 mm) Governor weight pin	G43sb	2
22.	Hylsepinn (36 mm) Sleeve pin	G43sc	2
23.	Splint, 1/16" x 3/8" (743w) Split pin	713.015	4
24.	Låsestreng (1,5 ^ø) Lock wire		
REGULATORARM MED TOMGANGSFJÆR KOMPL. GOVERNOR ARM W/ IDLING SPRING COMPL. Pos.: 30-31-32-33-34-35-36-37			
30.	Regulatorarm (2H43mL 2H43mn) .. Governor arm	2H43mb	1
31.	Friksjonsplugg 3,5x10 nylon (835pk) Nylon pin	856.001	1
32.	Anslagsskrue (tomgangsområde) Adjusting screw (idling range)	2H43mk	1
33.	Hylse for tomgangsfjær (743tb) Washer, idling spring retainer	712.021	1
34.	Splint 2 x 12 (744d) Split pin	731.016	2
35.	Tomgangsfjær (743vb) Idling spring	712.023	1
37.	Tomgangstillskrue M10 x 30 (tidl./ prev. 3/8 UNC x 1 1/4" 444ab)..... Adjusting screw (idling speed)M10x30	434.025	1


REGULATORLUKE
GOVERNOR COVER

33

38.	Fiberpakning 0,5 mm (811n) Fibre joint	825.026	1
39.	Hettemutter M10 (tidl./prev. 3/8" (437b) 441.024)/ Dome nut M10	441.075	1
43.	Reg. akselpakning (811p) Rubber washer, governor shaft	826.001	1
45.	Reguleringsaksel Governor control shaft	G43uc	1
46.	Reguleringsakselpinn 6 ^ø Pin. governor control shaft	2H43Lb	1
47.	Splint, 1/8" x 3/4" (731c) Split pin.	731.005	1
48.	Reguleringsaksselfjær (743db) Governor shaft spring	713.002	1
49.	Hendel reguleringsaksel ... (411hd) Handle	452.009	1
51.	Reguleringsakselkjede (971sb-931.018) Chain	931.025	1
52.	Kjedefesteledd Chain fork	G71s	1
53.	Koppskrue M5 x 10 (tidl./prev. 3/16 UNC x 3/8" (472a) 431.028) Set screw	431.007	1
54.	Låsepinn (2 ^ø) Lock pin		
60.	Peilestang (m/håntak 853.002) Dipstick (w/hand grip pos. 61)	S1-2H23cb	1
62.	Propp, 3/4 R.gj - M12 Plug	516.013	1
63.	Kobberpakning. 25 ^ø x32 ^ø x075 .. (882d) Copper washer	831.033	1
65.	Stopparm Stop arm	2H43.002	1
66.	O-ring O-ring	821.024	1
67.	Vrifjær Stop spring	713.006	1
68.	Stopphendel Stop handle	S1-2H43.003	
69.	Hodeskrue/Bolt M6 x 16 Head screw/Bolt	432.038	1
70.	Syl.skrue/Cyl.bolt M6x25 Cylinder screw/Cyl.bolt	431.053	1

71. Mutter/Nut M6 441.078
72. Seegerring/Cirslip 734.007

F



KJØLEPUMPE - VANNVENTIL
WATER PUMP - VALVE HOUSING

F-35

KJØLEPUMPEHUS M/SKRUER, AVT.KRANER WATER PUMP HOUSING WITH SCREWS AND DRAIN COCKS Pos.: 1-2-26-27		S1-G42NB	
KJØLEPUMPE KOMPLETT MED VANNVENTIL OG ENKEL ALBU - SJØVANNSKJØLT MOTOR WATER PUMP COMPL. WITH WATER VALVE AND ELBOW - SEA WATER COOLED ENGINE Pos.: 1-2-3-4-5-15-16-17-18-19-20- (21-22)-23-25-26-27-28		S3-G42NB	
KJØLEPUMPE KOMPLETT MED VANNVENTIL OG DOBB. ALBU - FERSKV.KJØLT MOTOR WATER PUMP COMPLETE WITH WATER VALVE AND ELBOW W/BY-PASS - FRESH WATER COOLED ENGINE Pos.: Som ovenfor, men pos. 23 erst. av pos. 24/The same as above, but pos. 23 is replaced by pos. 24		S4-G42NB	
1.	Kjølepumpehus Water pump housing	G42NB	1
2.	Avtappingskran Drain cock	52jb	2
3.	Membranskrue Diaphragm screw	G42r	1
4.	Membran 70 mm (842ff) Diaphragm	851.005	1
5.	Membranskive (742fb) Diaphragm	726.008	1
6.	O-ring SOR 115 14.3 x 2.4 . (842q) O-ring	821.037	2
PUMPEFLENS MED O-RINGER WATER PUMP FLANGE WITH O-RINGS		S1-G42p	
7.	Pumpeflens Water pump flange	G42P	1
8.	Pumpeflenspakning (842c) Pump flange gasket	813.066	1
VANNPUMPESTANG MED RIFLEPINN WATER PUMP ROD WITH GROOVED PIN		S1-G42q	
9.	Vannpumpestag Water pump rod	G42q	1
10.	Riflepinn, kerpin 12 ^ø x 32 Grooved pin	454.009	1

KJØLEPUMPE - VANNVENTIL
WATER PUMP - VALVE HOUSING


12.	Pinneskrue M10 x 46 (tidl./prev. 3/8 UNC x 45 (411b - 437.063) Stud	437.078	2
13.	Mutter M10 (tidl./prev. 3/8 UNC (415g) 441.011) Nut M10	441.052	2
	VANNVENTIL KOMPLETT MED ENKEL ALBU . WATER VALVE COMPL. WITH ELBOW Pos.: 15-16-17-18-19-20-(21-22)-23	S2-52a	
	VANNVENTIL KOMPLETT MED DOBBEL ALBU WATER VALVE COMPL. AND ELBOW WITH BY-PASS Pos.: 15-16-17-18-19-20-(21-22)-24	S3-52a	
15.	Propp Prop	52c	1
16.	Trykkfjær (752b) Spring, pressure	711.026	2
17.	Tallerkenventil Disc valve	52e	2
18.	Vannventilhus Water valve housing	52a	1
19.	Vannventilsete Water valve seat	52b	1
20.	Albupakning, 21 mm 0.9 mm ass(852b) Joint washer	831.020	1
21.	Albupakning, 21 mm 1.2 mm ass(852c) Joint washer	831.021	(1)
22.	Albupakning, 21 mm 1.5 mm ass(852d) Joint washer	831.022	(1)
23.	Albu (til/to S2-52a) Elbow	52bk	1
24.	Albu med sideløp (til/to S3-52a) ... Elbow with by-pass	52bn	(1)
25.	Vannventilters Water valve clamp	42i	1
26.	Pinneskrue M8 x 47 (tidl./prev. 5/16 UNC x 45 (411c - 437.064) Stud	437.079	2
27.	Mutter M8 (tidl./prev. 5/16 UNC (415e) 441.044) Nut M8	441.066	2
28.	Vannventilpakning (841b) Valve housing-gasket	814.015	1

Pos.: 42. Trykrør kompl./Water pipe. pump-cyl. block (623i) 611.049

	SUGESLANGE KOMPLETT (S-869d)	S1-841.035	
	SUCTION HOSE		
	Pos.: 30-31-32-33		
30.	Slangenippel (569a)	518.016	2
	Hose nipple		
31.	Rørmutter, 1/2"R (511b)	512.001	2
	Pipe nut 1/2" BSP		
32.	Slangeklemme, 17-25 mm rustfri (869d)	921.003	2
	Hose clip, stainless steel		
33.	Sugeslange 1/2" x 400 (869d)	841.035	
	Suction hose		
	BUNNSIL MED SKIVER OG MUTTER S1-62a		
	STRAINER WITH WASHERS AND NUT		
	Pos. 35-36-38		
	DELER FOR KOMPLETT BUNNINNTAK MT-18		
	PARTS FOR SEA WATER INLET COMPLETE		
	Pos.: 35-36-38-40-41 (S3-62a)		
35.	Bunnsil 62a		1
	Sea cock strainer		
36.	Skive (762b)	721.054	2
	Washer		
38.	Mutter, 1/2" R (562b)	541.014	1
	Nut		
40.	Slusekran (962c)	946.008	1
	Hand wheel cock 1/2" BSP		
41.	Rørnippel 1/2"R (511a)	511.050	1
	Pipe nipple		
	INNVENDIG KJØLEVANNSFILTER KOMPLETT S1-G62M-N		
	INTERNAL WATER FILTER COMPLETE		
	Pos.: 45-46-47-48-49		
45.	Kjølevannsfilerhus G62M-N		1
	Water filter housing		
46.	Kjølevannsfilerlokk G62N		(1)
	Water filter cap		
47.	Nylonfilter (962m)	946.013	1
	Nylon filter		
48.	O-ring, R-3268 (862mb)	821.051	1
	O-ring		
49.	Vingeskrue, 1/4 UNC (462m)	436.039	2
	Wing stud		

G

Til eksosbend / To
exhaust elbow 2H21.001




EKSTRA VANNPUMPE (VÅT EKSOS - FERSKVANNSKJØLT MOTOR).. EXTRA WATER PUMP (WET EXH.- FRESH WATER COOL. ENGINE) Pos.: 2-4-6-7-8-9-10-11-16-17-18-19- 25-26-27-28-29-30-(31-32)-34		S1-G42Tb-2H	
EKSTRA VANNPUMPE KOMPLETT MED SUGESLANGE OG KOMPLETT BUNNINNTAK EXTRA WATER PUMP COMPLETE WITH SUCTION HOSE AND SEA WATER INLET Pos.: 2-4-6-7-8-9-10-11-16-17-18-19- 25-26-27-28-29-30-(31-32)-34- 35-36-41-42-57-58-59-60-61		S2-G42Tb-2H	
1.	Kjølepumpehus (for ferskvann) Water pump housing (for fresh water)	G42NB	1
2.	Membranskrue for ekstra pumpe Diaphragm screw for extra pump	G42rb	1
3.	Membran, 70 mm (842ff) Diaphragm	851.005	1
4.	Membran mellom-skive (742fc) Diaphragm spacer	726.009	1
5.	Avtappingskran Drain cock	52j ^e	1
5a.	Avtappingskran Drain cock	52jb	1
6.	Dobbelpumpehus (ekstrapumpen) Double water pump housing (extra pump)	G42Tb	1
7.	Membran, 100 mm (842fg) Diaphragm	851.006	1
8.	Membranskive 1 3/4" (742gb) Diaphragm washer	726.011	1
9.	Hodesocketskrue M10 x 20 (tidl./ prev. 3/8 UNC x 3/4" (442q) 433.056) Socket head screw	433.009	2
10.	O-ring SOR 115, 14,3 x 2,4.. (842q) O-ring	821.037	2
VANNPUMPEFLENS MED O-RINGER WATER PUMP FLANGE WITH O-RINGS		S1-2G42P	
11.	Vannpumpeflens Water pump flange	2G42P	1
12.	Pumpeflenspakning (842c) Pump flange gasket	813.066	1

	VANNPUMPESTANG MED RIFLEPINN	S1-G42q	
	WATER PUMP ROD WITH GROOVED PIN		
13.	Vannpumpe­stang	G42q	1
	Water pump rod		
14.	Rifle­pinn, kerpin 12 ^o x 32	454.009	1
	Grooved pin		
16.	Vannventilpakning	(841b) 814.015	1
	Valve housing gasket		
17.	Vannventilter	41i	1
	Water walse clamp		
18.	M8 x 47 (tidl./prev. 5/16 UNC x 45 (411c)	437.064) 437.079	2
	Stud		
19.	Mutter M8	441.066	2
	(tidl./prev. 5/16 UNC (415e) 441.044 Nut M8		
25.	Propp	52c	1
	Prop		
26.	Tryk­kfjær	(752b) 711.026	2
	Spring, pressure		
27.	Tallerkenventil	52e	2
	Disc valve		
	VANNVENTIL KOMPLETT MED ENKEL ALBU	S2-52A	
	WATER VALVE COMPL. WITH ELBOW		
	Pos.: 25-26-27-28-29-30-(31-32)-34		
28.	Vannventilhus	52a	1
	Water valve housing		
29.	Vannventilsete	52b	1
	Water valve seat		
30.	Albupakning 21 mm, 0,9 mm ass(852b)	831.020	1
	Joint washer		
31.	Albupakning 21 mm, 1,2 mm ass(852c)	831.021	(1)
	Joint washer		
32.	Albupakning 21 mm, 1,5 mm ass(852d)	831.022	(1)
	Joint washer		
33.	Albu med sideløp (til/to S3-52a) ..	52bn	1
	Elbow with by-pass		
34.	Albu (til/to S2-52a)	52bk	1
	Elbow		



	SUGESLANGE KOMPLETT (S-869d)	S1-841.035	
	SUCTION HOSE COMPLETE		
	Pos.: 35-36-41-42		
35.	Slangenippel (569a)	518.016	2
	Hose nipple		
36.	Rørmutter, 1/2"R (511b)	512.001	2
	Pipe nut 1/2" BSP		
40.	Slangenippel, 3/8" - 90°	519.003	1
	Hose nipple		
41.	Slangeklemme 17-25 mm rustfri	921.003	2
	Hose clip, stainless steel		
42.	Sugeslange 1/2" x 400 (869d)	841.035	1
	Suction hose		
43.	Slangestuss 1/2" x 110	841.026	1
	Hose		
44.	Rørstuss 1/2" (642e)	611.054	1
	Pipe bend		
45.	Flensring (711c)	721.026	1
	Pipe collar		
47.	Trykkrør komplett (623i)	611.049	1
	Water pipe, pump-cyl. block		
55.	Hodeskrue M10 x 35 (tidl./prev. 3/8 UNC x 1 1/4" (484c) 432.090) . . .	432.010	1
56.	Hodeskrue M8 x 35 (tidl./prev. 5/16 UNC x 1 1/4" (482q) 432.089) . . .	432.017	4
	DELER FOR KOMPLETT BUNNINNTAK PARTS FOR SEA WATER INLET COMPLETE Pos.: 57-58-59-60-61 (S3-62a)	MT-18	
57.	Bunnsil	62a	1
	Sea cock strainer		
58.	Skive (762b)	721.054	2
	Washer		
59.	Mutter 1/2"R (562b)	541.014	1
	Nut		
60.	Slusekran (962c)	946.008	1
	Hand wheel cock 1/2" BSP		
61.	Rørnippel 1/2"R (511a)	511.050	1
	Pipe nipple		

H



FERSKVANNSKJØLING
FRESH WATER COOLING SYSTEM

H-43

FERSKVANNSBEHOLDER MED TRYKKLOKK
FRESH WATER TANK WITH PRESSURE CAP
Pos.: 1-2-3-4-5-6-7-8 S1-2H69A

UTVENDIG KJØLERØR KOMPLETT MED
MONTERINGSTILBEHØR (MT-4) S1-2G69c
COOLER COMPLETE AND PARTS FOR
KEEL COOLER (MT-4)
Pos.: 26-27-28-29-30-31-32-33

DELER FOR UTVENDIG KJØLERØR
(MONTERINGSTILBEHØR) MT-4
PARTS FOR KEEL COOLER
Pos.: 29-30-31-32-33

FERSKVANNSKJØLEANLEGG MED TERMOSTAT
OG UTVENDIG KJØLERØR KOMPLETT S2-2H69A-2H
FRESH WATER COOLING SYSTEM WITH
THERMOSTAT AND KEEL COOLER COMPLETE
Pos.: All from 1 to 33

- | | | | |
|-----|---|------------|---|
| 1. | Ferskvannsbeholder | 2H69A | 1 |
| | Fresh water tank | | |
| 2. | Propp, galv. 3/4" R (922a) | 516.041 | 1 |
| | Prop 3/4" BSP | | |
| 3. | Propp, galv. 1/2" R (911a) | 516.039 | 1 |
| | Prop 1/2" BSP | | |
| 4. | Nippel, 1/2" R (511a) | 511.050 | 1 |
| | Nipple, 1/2" BSP | | |
| | TRYKKLOKKTUT KOMPLETT *) (S1-969dk) | S1-949.002 | |
| | PRESSURE CAP BODY COMPLETE | | |
| 5. | Trykklokktut (969dk) | 949.002 | 1 |
| | Pressure cap body | | |
| 6. | Gjengestuss (669L) | 631.024 | 1 |
| | Pressure cap sleeve | | |
| 7. | Overkok-rør (669j) | 611.089 | 1 |
| | Expansion pipe | | |
| 8. | Trykklokk (Thermo TH2) (969d) | 949.001 | 1 |
| | Pressure cap | | |
| 9. | Termostat 55°C 945.001 | | |
| | Behr. Thomsen Xl.131.55.100 | | |
| | Thermostat | | |
| 10. | Ferskvannsbeholderpakning | 814.006 | 1 |
| | Fresh water tank gasket | | |
| 11. | Pinneskrue M10 x 78, (tidl./prev.
3/8 UNC x 70 (444d) 437.047) 437.107 | | 2 |
| | Stud | | |

*) Pos.: 5-6-7-8

FERSKVANNSKJØLING

FRESH WATER COOLING SYSTEM

12.	Mutter M10 (tidl./prev. 3/8 UNC (415g) 441.011) Nut M10	441.052	2
13.	Underlagsskive 3/8" (723h) Washer	725.010	2
14.	Overgangsnippel, 3/8" x 1/2" R (521i) Reducing nipple	511.031	1
15.	Eksosflens/vannpakning (821va) Exhaust flange water gasket	814.036	1
	OMLØPSRØR KOMPLETT BY-PASS PIPE COMPLETE Pos.: 16-21-22	S1-611.018	
16.	Omløpsrør 1/2" x 530 By-pass pipe	611.018	(1)
	RØRSTUSS KOMPLETT PIPE COMPLETE Pos.: 17-21-22	S1-611.019	
17.	Rørstuss 1/2" x 150 Pipe	611.019	1
	RETURSLANGE KOMPLETT (S-869eb) RETURN HOSE COMPLETE Pos.: 18-20 (2 stk/pcs)-21-23	S1-841.039	
18.	Returslange 1/2" x 900 Return hose	841.039	1
	SUGESLANGE KOMPLETT (S-869d) SUCTION HOSE Pos.: 19-20-21-23	S1-841.035	
19.	Sugeslange 1/2" x 400 Suction hose	841.035	1
20.	Slangeklemme, 17-25 mm rustfri Hose clip, stainless steel	921.003	4
21.	Rørmutter, 1/2" (511b) Pipe nut	512.001	6
22.	Flensring (711c) Pipe collar	721.026	3
23.	Slangenippel (569a) Hose nipple	518.016	3
24.	Albupakning 21 mm, 0,9 mm ass. (852b) Elbow joint washer 1,2 mm ass. (852c) 1,5 mm ass. (852d)	831.020 831.021 831.022	1 (1) (1)

FERSKVANNSKJØLING
FRESH WATER COOLING SYSTEM

45


25.	Albu med sideløp Elbow with by-pass	52bn	1
26.	Utv. kjølerør kompl.: Se side H-43. Cooler complete See page H-43.		
27.	Endestykke End piece	2G69Cc	(1)
28.	Bunngjennomføringsnippel Cooler nipple	2G62A	(2)
29.	Mutter, 1/2" R (562b) Nut 1/2" BSP	541.014	2
30.	Skive (762b) Washer	721.054	4
31.	Foring for festeklemme Bush for clamp	853.003	10
32.	Festeklemme Clamp	744.004	5
33.	Festeskrue B12 x 19 (469c) Screw	435.009	17

Pos.: 29-30-31-32-33 - MT-4
Se side/See page H-43

BRENNOLJESYSTEM - Fortsettelse fra side: 49
FUEL SYSTEM - Cont. from page: 49

DEKKSFLENS M/SLANGE OG KLEMMER KOMPL 63.008
DECK FILLER W/HOSE AND HOSE CLIPS
Pos.: 68-69-70

68.	Slangeklemmer, rustfri 55-70 (969gh) Hose clip, stainless steel	921.043	4
69.	Slange 1 3/4" x 300 mm (837e) Hose	841.056	1
70	Dekksflens med skrulokk 1 1/4" Deck filler with cap	63.007	1



BRENNOLJESYSTEM

I-47

FUEL SYSTEM

1.	INNSPRØYTINGSPUMPE KOMPLETT	S-2H44a	
	Bosch 0 414 162 978		
	INJECTION PUMP COMPLETE		
2.	Trykkventilholder, Bosch	-	1
	Delivery valve housing		
2a.	Trykkventil, .. Bosch 0 418 502 015 ..	G44ap	1
	Delivery valve		
2b.	Elementinnsats, Bosch 0 418 305 003 ..	-	1
	Inject. pump element (6,5 mm)		
2c.	Trykkventilfjær Bosch 1 414 011 024 ..	719.003	1
	Pressure spring		
3.	Innsprøytingspumpe-mellomlegg		
	Bosch 1 411 038 021 0,3 mm (744c)	741.049	-
	Bosch 1 411 038 020 0,2 mm (744ca)	741.050	-
	Bosch 1 411 038 022 0,5 mm (744cb)	741.051	-
	DYSEHOLDER KOMPLETT	S-G53D	
	INJECTOR HOLDER COMPLETE		
	Pos.: 4-6-7-8-9		
4.	Dyseholder, Bosch 0 432 297 025	-	
	Injector holder (S-G53D)		
6.	Dysemutter, Bosch 2 433 314 025	-	-
	Nozzle nut		
7.	Rørtilkobl.m/filt. Bosch 2 433 357 033	G53dk	1
	Inj. nipple with filter		
8.	Dyse, Bosch 0 434 250 009	G53i	1
	Nozzle		
9.	Dysepakning	(853i)	831.026
	Nozzle joint washer		2
	FØDEPUMPE KOMPLETT	(S-944k)	S-944.003
	FUEL LIFT PUMP COMPLETE		
	Pos.: 15-17-18-19-20-21-22-47		
	FØDEPUMPE-VEDLIKEHOLDSSETT ..	(944ka)	944.004
	FUEL LIFT PUMP MAINTENANCE SET		
15.	Fødepumpehus, over- og underdel (944k)	944.003	(1)
	Fuel lift pump body two parts		
	AC 795067		
17.	Fødepumpenippel 1/4"R-1/2"UNF (563a)	511.040	1
	Connection, lift pump body		
18.	Fødepumpesil	(944p)	944.009
	Strainer, lift pump		(1)
19.	Fødepumpelokkpakning	(844L)	815.017
	Gasket, lift pump cover		(1)

BRENNOLJESYSTEM

FUEL SYSTEM

20.	Fødepumpe-membran (944n) Diaphragm, lift pump	944.008	1
21.	Fødepumpelokk (944L) Cover, lift pump	944.006	(1)
22.	Fødepumpelokkskrue (944lk) Screw, lift pump cover		
23.	Fødepumpeflenspakning 0,5 mm Gasket, lift pump flange	813.099	1
24.	Sporskrue M8 x 16 (tidl./prev. screw 5/16 UNC x 3/4" (435k) ... (431.033)	431.008	2
25.	Tannskive, 5/16" A7 (734h) Lock washer	722.027	2
	BRENNOLJEFILTERHUS KOMPLETT		
	BOSCH 0 450 015 003 FUEL FILTER COMPLETE Pos.: 30-30a-31-32-33-34	S-G67a	1
30a	Filterbolt (m/pakn. 867i) ... (967i) Filter bolt (w/gasket)		1
31.	Lufteskrue for brennoljefilter(967j) Bleeder screw, fuel filter		1
32.	Luftskruopakning, 10x6x1 (867j) " Fibre joint	831.036	1
33.	Filterhuspakning (867a) Gasket, f. filter bowl	826.020	1
34.	Brennoljefilterinnsets Fuel filter element	G67i	1
35.	Bosch filternippel 1/4"R-M14 (545db) Filter nipple 1/4" BSP-M14	511.036	1
36.	Kobberpakning 14 mm (867d) Copper washer	844.002	5
37.	Filterholder Filter holder	2H67c	1
38.	Hodeskrue M8 x 16 (tidl./prev. 5/16 UNC x 20 (434c)/Bolt (432.019)	432.150	4
40.	Oljeslange, filt.-innspr.p. (844ad) Fuel hose, filter-injection pump	845.021	1
41.	Hulskrue M14 x 1,5 (967a) Banjo nipple plug	521.011	2
43.	Hulskrue M12 x 1,5 (944b) Banjo nipple plug	521.015	1
44.	Kobberpakning, 12 mm (844d) Copper washer	831.018	2


BRENNOLJESYSTEM

49

FUEL SYSTEM

45.	Oljeslange, fødepumpe-filter.. (844h) Fuel hose, lift pump-filter	845.023	1
46.	Hulskrue, fødepumpe 1/2" UNF.. (944q) Banjo nipple plug, lift pump	521.006	1
47.	Kopperpakning. 13x18x1,5 (844j) Copper washer	831.019	3
50.	Lekkoljerør, dysehold.-filt. (S-653h) Leak-off pipe compl. injectors-filter	S-613.016	1
51.	Hulskrue M8 x 1 (953h) Banjo nipple plug	521.008	2
52.	Kobberpakning. 8 mm (853e) Copper washer	831.025	4
53.	Hodeskrue M8 x 30 (tidl./prev. 5/16 UNC x 1 1/4" (482q)....(432.089) Bolt	432.033	4
54.	Innspr.rør kompl., forreste (S-653ba) Injection pipe, fore complete	S-613.030	1
55.	Innspr.rør kompl., akterste (S-653bb) Injection pipe, rear. complete	S-613.031	1
	BRENNOLJETANK MED KRANER. 42 LITER FUEL TANK WITH COCKS! STAINLESS ST Pos.: 60-61-62-63	S1-B63bb	1
61	Skrulokk 1 1/4"R.gj. (63hk f. 1"r.gj) Fuel tank cap. 1 1/4" BSP	63.002	1
62.	Nåleventil komplett Needle valve complete	946.001	1
63.	Avtappingskran 1/4" Fuel drain cock complete	946.006	1
64.	PVC-armert tankslange m/forskrutninger (MT-1) 1/4" x 2500 1/4" x 5000 Fuel hose PVC with fittings Pos.: 64-65-66-67	S1-842.002 S1-842.003	
65.	Slangeklemme, rustfri. Hose clip, stainless steel	921.001	2
66.	Rørmutter, 1/4" (9 ^e hull/hole) (553b) Pipe nut 1/4" BSP	512.007	2
67.	Slangenippel (569c) Hose nipple	518.018	2

Fortsettelse side/Cont. page .. 45




ELEKTRISK UTSTYR
ELECTRICAL EQUIPMENT

J-51

1.	SELVSTARTER 12V, BOSCH 0 001 311 056 STARTER Pos.: 1-2-3	965.001	(1)
	Reservedeler/Spare parts:		
	Starterdrev, ... Bosch 1 006 209 420 Starter drive	965.012	1
	Solenoidinnslag, Bosch 0 311 302 064	965.013	1
2.	Hodeskrue M10 x 30 (tidl./prev 3/8" UNC x 1" (421L) (432.029) Bolt	432.013	2
3.	Fjærskive 3/8" Lock washer	722.031	1
	VEKSELSTRØMS-DYNAMOARRANGEMENT 12V-35A (Max. 500W) Code ALTERNATOR ARRANGEMENT	AC 12-35	
	VEKSELSTRØMS-DYNAMOARRANGEMENT 12V-55A (Max. 750W) Code ALTERNATOR ARRANGEMENT	AC 12-55	
29.	Vekselstrømsdynamo med regulator, 12V-35A, S.E.V 702 301 12 samt remskive, mutter og kile Alternator with regulator, pulley, key and nut	964.021	(1)
29A	Regulator S.E.V 725 637 12 Regulator (for 964.021)	967.016	(1)
30.	Vekselstrømsdynamo med remskive, mutter og kile, S.E.V 715 231 12 ... Alternator w/pulley (12V-55A)	964.001	(1)
30A	Regulator S.E.V 723 600 12 Regulator (for 964.001)	967.001	(1)
31.	Kile Key	-	1
32.	Dynamoremskive S-spor (for 964.021) S.E.V. 719 100 03 (15° hole) Alternator pulley S-groove	964.016	1
32A	Dynamoremskive S-spor (for 964.001) Alternator pulley, S-groove 17° hole	668.001	1
33.	Mutter Nut	-	1
34.	Låseskive Spring washer	-	1


35.	Vippebolt	2H68c	1
	Retainer bolt		
36.	Mutter M10 (tidl./prev. 3/8" UNC) ..	441.052	1
	Nut		
37.	Fjærskive 3/8"	722.031	1
	Spring washer		
38.	Strammejern	2H68aL	1
	Support		
39.	Hodeskrue M8 x 35	432.017	1
	Bolt		
40.	Mutter M8	441.033	1
	Nut		
41.	Skive 21 ^ø x 8,2 ^ø x 2	722.042	1
	Washer		
41A	Tannskive 5/16"	722.027	1
	Lock washer		
42.	Hodeskrue M8 x 20	432.019	1
	Bolt		
45.	Svinghjulsremskive (komb. dyn./lens) Flywheel pulley (comb. altern./bilge)	G33DL	1
46.	Hodeskrue M10 x 20 (tidl/prev 3/8UNC)	432.009	4
	Bolt		
47.	Kilerem, Rofan 3915 (968wd)	932.041	1
	V-belt		
50.	Starteswitch med nøkkel Bosch 0 342 309 006 (968jd)	966.019	1
	Starter switch with key		
50A	Glødestarteswith med nøkkel Bosch 0 342 315 001 (968jc)	966.018	(1)
	Glow starter switch with key		
51.	Nøkkel/Switch key, E30 Bosch 3 341 980 279 (968je)	966.020	
52.	Ladelys/Charging control lamp, 12V Bosch 0 310 153 001 (32-968pm)	955.025	
	Dobb. isolasjonsdiode (ladediode) Double isol.diode (charging) extær		
53.	For Dyn./Alternator 12V-35A, 964.021 .	964.006	
54.	For Dyn./Alternator 12V-55A, 964.001 .	964.007	
55.	Glødestift 11V, Bosch 0 250 200 062 .	969.069	
	Glow plug		

INSTRUMENT CONNECTIONS (Electrical Impulse Type — After August 1977):



- 1 Instrumetpanel, snaut/
Instrument Panel
(without instruments) 951.012
- 2 Oljetrykksmåler, 12V/
Oil pressure gauge 952.012
- 3 Turteller/Tachometre, 12V .. 954.032
- 4 Temperaturmåler/
Temp. gauge, 12V 953.013
- 5 Ladekontrolllys, 12V/
Charging control 955.025
- 6 Starteswitch/Starter switch .. 966.019
- 7 Glødestarteswitch/
Glow starter switch 966.018
- 8 Timeteller, 12V/Hourmeter . 954.042
- 9 Blindlokk/Cap 951.068
- 10 Turtallsgiver/
Tachometer sender unit 954.033
- 11 Temperaturgiver/
Temp. sender unit 953.010
- 12 Oljetrykks giver/
Oil pressure sender unit 952.014


Kabelsett fra instrumentb.
Instrument panel harness




4m., 968.037
2,5m., 968.036
5.5m., 968.041

Tilkoblingssett på motor
Engine cable harness

968.035




K



2H-2HG-2HSP

L side/page 58




2HEG

REGULATORFORLENGELSE
REMOTE GOVERNOR CONTROL

K-55

REGULATORHENDEL KOMPLETT		S1-72V	
GOVERNOR HANDLE COMPLETE			
Pos.: 1-2-3-4-5-6-8-9-10			
REGULATORHENDEL M/STRØMPE, STÅLTRÅD			
OG KLOSS		S2-72V-2H	
GOVERNOR CONTROL HANDLE W/WIRE,			
BOWDEN CABLE AND BLOCK			
Pos.: 1-2-3-4-5-6-8-9-10-11-12-13-14			
1.	Regulatorhendel-hus	72V	(1)
	Bracket, governor control handle		
2.	Tannstang	72X	1
	Rack		
3.	Ståltråd-festenippel	G72e	1
	Wire lock		
4.	Settskrue M5 x 6 (G72ib)	434.001	1
	Rack screw		
5.	Hendelbolt	72yb	1
	Handle shaft		
6.	Linse sylinderskrue, M6 (472i)	472i	1
	Handle screw		
8.	Fjærskive	772h	1
	Spring washer		
9.	Hendel	72e	1
	Handle		
10.	Kule	971.007	1
	Ball		
11.	Ståltråd, 770 mm (2H-2HG) ... (772fm)	772.007	1
	Wire, (handle fitted to engine)		
	(Ikke for 2HEG/Not for type 2HEG)		
12.	Wirestrømpehylse, M7 (571dd)	671.006	2
	Bowden cable sleeve		
13.	Wirestrømpe, 600 mm (2H-2HG)	2H72g	1
	Bowden cable (handle fitted to eng.)		
	(Ikke for 2HEG/Not for type 2HEG)		
14.	Kloss M7	571dc	1
	Block		
15.	Sylinderskrue M5 x 25 (471a)	431.004	2
	Cap screw		
16.	Mutter M5	441.010	2
	Nut		
	Unbraconøkkel 2,5 ^Ø (for tannstang)	976.001	
	Socket screw hex. wrench (for rack screw)		



TILKOBLINGSSETT REGULATOR OG GEAR - TYPE 2HEG
 REMOTE CONTROL ADAPTOR KIT - GOV. AND REVERSE GEAR

L-57

TILKOBLINGSSETT FOR REGULATOR OG GEAR - TYPE 2HEG REMOTE CONTROL ADAPTOR KIT FOR GOVERNOR AND REVERSE GEAR - TYPE 2HEG Pos.: 1 til/to 19			2H72.001	
1.	Fjernbetjeningsplate Bracket for remote control	2H72.002		1
2.	Regulatorhendel Governor handle	2H72.003		1
3.	Hodeskrue M8 x 75 Bolt	432.017		2
4.	Distansehylse 15 ^ø x 11 ^ø x 10 Sleeve	626.015		2
5.	Klemme Clamp	G72j		2
6.	Shim Shim	F72Dm		2
7.	Sporskrue M5 x 12 Screw	431.045		4
8.	Tannskive 3/16" Lock washer	722.033 ⁶		4
9.	Mutter M5 Nut	441.010		4
12.	Manøverhendelbolt Remote control handle	2H72.004		1
13.	Låsemutter M6, nylock Lock nut	441.076		1
14.	Kuleledd Flex. link	971.009		2
17.	Hodeskrue M8 x 25 Bolt	432.023		1
18.	Tannskive 5/16" Lock washer	722.027		1
19.	Mutter M8 Nut	441.066		1

FJERNBETJENING AV
REVERSGEAR OG REGULATOR - ENHÅNDSBETJENING
SINGLE LEVER REMOTE CONTROL OF GEARBOX AND GOVERNOR

Se tegning side/See drawing page: 54 (L)

- | | | |
|-----|---|---------|
| 20. | Toppmontert, enhåndsbetjent
kontrollboks for gear og regulator.
(Teknoflex F 774) (EET)..... | 972,051 |
| | Top fitted, single lever remote
control of gearbox and governor
Pos.: 20-22 | |
| 21. | Sidemontert, enhåndsbetjent
kontrollboks for gear og regulator.
(Teknoflex F 771) (EES) | 972,052 |
| | Side fitted, single lever remote
control of gearbox and governor
Pos.: 21-22 | |
| 22. | Manøvermekanisme (Teknoflex F 723).
Control mechanism | 972,048 |
| 23. | Kontrollkabel: | |
| | Betj. lengde 2 meter | 972,005 |
| | Betj. lengde 3 meter | 972,007 |
| | Betj. lengde 4 meter | 972,008 |
| | Betj. lengde 5 meter | 972,012 |
| | Control cable, operating distance
in meters | |
| | Stoppkontroll
Stop control: | |
| 24. | Stoppkontrollhendel (mekanisk)
Stop control handle (mechanical) | F72A-B |
| | og/and: | |
| 25. | Stoppkontroll-forlengelse, 2,5 m.. | G72gc |
| | Stoppkontroll-forlengelse, 3,5 m.. | G72gp |
| | Stoppkontroll-forlengelse, 4,5 m.. | G72gq |
| | Stoppkontroll-forlengelse, 5,5 m.. | G72ge |
| | Stop remote control | |
| | Elektrisk stoppkontroll
Electric stop control: | |
| x) | Stoppsolenoide 12V | 969,063 |
| | Stop solenoid | |
| x) | Stoppsolenoide 24V | 969,064 |
| | Stop solenoid | |
| x) | Ikke vist/Not shown | |

IMPELLERPUMPE (SJØVANNSPUMPE) OG VARMEVEKSLER
IMPELLER PUMP (SEA WATER PUMP) AND HEAT EXCHANGER

59

Se tegning side/See drawing page: 38

IMPELLERPUMPE MED NIPPLER KOMPLETT .. IMPELLER PUMP W/NIPPLES COMPLETE	S1-947.003	
IMPELLERPUMPE MED BRAKKET, KILEREM, SLANGER OG BUNNINNTAK KOMPLETT IMPELLER PUMP WITH BRACKET, V-BELT, HOSES AND SEA WATER INLET COMPLETE	S2-947.003-2H	
1. Impellerpumpe, 3/8" type F4B-M4 Impeller pump	947.003	(1)
2. Kilerem (pumpe) Rof. 3225 ... (968wf) V-belt (pump)	932.043	(1)
Kilerem (pumpe og dynamo) 9,5 x 1375 La (Rof.7450) V-belt (pump and alternator)	932.005	1
3. Impeller, (1026B) Impeller	947.010	1
4. Brakket (med skruer) Bracket (w/screws)	2H41Ab	1
5. Slange (kapp 3000 mm) m/nippler etc... Hose with nipples (cut 3000 mm)		
VARMEVEKSLER MED NIPPLER HEAT EXCHANGER WITH NIPPLES	S1-949.005	
6. Varmevexler (EC 160/1393 Bowm)(969j) Heat exchanger	949.005	(1)
7. Se/See pos.: 5		
Deler for komplett bunninntak Parts for sea water inlet	MT-18	1

